


Chenonceau





Chenonceau

IP44
Classe 1


Aluminium
Diffuseur verre clair

SOURCE

E27 - 75W max H 160 mm max

MODÈLES

haut./larg./prof.




H 292 mm
L 165 mm



627 / 165

384 / 165 / 236

518 / 165 / 317



354 / 165 / 306

410 / 165 / 306



657 / 165

531 / 165

388 / 165



RÉFÉRENCES

Remplacer ●●● par le code couleur

| MODÈLES | SOURCE E27 | PATÈRE D'ANGLE | DIFFUSEUR DE RECHANGE |
|---------|-------------|----------------|-----------------------|
| 1 | 117 001 ●●● | | 165 022 609 |
| 2 | 117 002 ●●● | 147 002 ●●● | 165 022 609 |
| 3 | 117 003 ●●● | 147 002 ●●● | 165 022 609 |
| 4 | 117 004 ●●● | 147 002 ●●● | 165 022 609 |
| 5 | 117 005 ●●● | 147 002 ●●● | 165 022 609 |
| 6 | 117 006 ●●● | | 165 022 609 |
| 7 | 117 007 ●●● | | 165 022 609 |
| 8 | 117 008 ●●● | | 165 022 609 |

CODES COULEURS

Remplacer ●●● par le code couleur

| | | |
|--|-----------------------|-----|
| | RAL 9005 NOIR FONCÉ | 000 |
| | GRIS ARDOISE | 059 |
| | BLANC | 001 |
| | RAL 6009 VERT ANGLAIS | 019 |
| | RAL 6009 VERT SAPIN | 067 |
| | GRÈS | 054 |
| | ROUILLE | 046 |
| | VERT DE GRIS | 008 |
| | PATINÉ DORÉ | 009 |

Autres couleurs sur demande

CÂBLAGE

Zones d'entrées de câble en gris - Fixations fournies

